



CLEAN COPY OF SECTION

(i) a C₁₋₁₂ alkyl, straight chain or branched-chain, optionally mono- or polysubstituted by

A 4

-OH, -SH, -NH₂, -NHC₁₋₆ alkyl, -N(C₁₋₆ alkyl)₂, -NHC₆₋₁₄ aryl, -N(C₆₋₁₄ aryl)₂, -N(C₁₋₆ alkyl)
(C₆₋₁₄ aryl), -NHCOR⁶, -NO₂, -CN, -F, -Cl, Br, -I, -O-C₁₋₆ alkyl, -O-C₆₋₁₄ aryl,
-O(CO)R⁶, -S-C₁₋₆ alkyl, -S-C₆₋₁₄ aryl, -SOR⁶, -SO₃H, -SO₂R⁶, -OSO₂C₁₋₆ alkyl, -OSO₂C₆₋₁₄ aryl,
-(CS)R⁶, -COOH, -(CO)R⁶, mono-, bi- or tricyclic saturated or mono- or polyunsaturated
carbocycles having from 3 to 14 ring members, mono-, bi- or tricyclic saturated or mono- or
polyunsaturated heterocycles having from 5 to 15 ring members and from 1 to 6 hetero atoms,
which are suitable N, O and S, where the C₆₋₁₄ aryl groups and the included carbocyclic and
heterocyclic substituents can optionally be mono- or polysubstituted by R⁴.